




DATE


BAT



DOSSIER

Article:
Commande:
Réf. client:

Réf. catalogue: **2862**
Quantité:




CARACTERISTIQUES

Env **PEFC NF OR***
Format:
110 x 220 mm
Type de gommage:
Sili GPV
Type de papier:
Blanc 75 gr
Forme patte de fermeture:
Droite
Dim. patte de fermeture:
30 mm
Dim. patte latérale:
10 mm

Fenêtre:
35 x 100 mm
Position fenêtre:
20 mm BI / 20 mm BD

Matière fenêtre:
Pellicule cristal

Type de fond:
GPV Every Day PEFC NF
Couleur de fond:
Bleu standard Pant. 292 



IMPRESSION

Type d'impression:

Coul. recto	Coul. verso
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>
<input type="radio"/>	<input type="radio"/>

RAPPEL : la validation de cette
épreuve qui devient un BAT
engage votre responsabilité.

Validé le :
Nom prénom :
Société :
Signature :

Technical drawing of a 110 x 220 mm envelope. The drawing shows the envelope with a 35 x 100 mm window and a 30 mm flap. The dimensions are indicated as follows:

- Overall width: 220 mm
- Overall height: 110 mm
- Window width: 100 mm
- Window height: 35 mm
- Flap width: 30 mm
- Flap height: 20 mm
- Distance from window to flap: 20 mm

A yellow label with the text "Patte de fermeture" and an icon of a flap is shown above the envelope.

*Ouverture Rapide



